

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA336793

Dux4 (DUX4L1) Mouse Monoclonal Antibody [Clone ID: P4H2]

Product data:

Product Type: Primary Antibodies

Clone Name: P4H2

Applications: IF, IHC, WB

Recommend Dilution: WB: 0.5-2.0ug/ml, IF: 1:100-1:200, IHC: 1:100-1:200, IHC-F: 1:100-1:200, IHC-P: 1:100-1:200

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Synthetic peptide corresponding to the C-terminus of human DUX4. [Swiss-Prot# Q9UBX2]

Formulation: PBS containing 0.05% BSA, 0.05% Sodium Azide. Store at 4C short term. Aliquot and store at -

20C long term. Avoid freeze-thaw cycles.

Concentration: 1 mg/ml

Purification: Protein G purified

Predicted Protein Size: 52 kDa

Gene Name: double homeobox 4 like 1

Database Link: NP 149418 Entrez Gene 22947 Human

Background: DUX4 (also known as Double homeobox 4) is the leading candidate causative gene for

facioscapulohumeral dystrophy (FSHD), a degenerative skeletal muscle disease and one of the most common muscular dystrophies. FSHD is caused by the deletion of a subset of D4Z4 macrosatellite repeats on chromosome 4. Each repeat contains a retrogene encoding the

double-homeobox factor DUX4. DUX4 expression is epigenetically suppressed in differentiated tissues and the residual DUX4 transcripts are spliced to remove the

carboxyterminal domain that has been associated with cell toxicity. In FSHD individuals, the expression of the full-length DUX4 transcript is not completely suppressed in skeletal muscle, and possibly other differentiated tissues, and results in a small percentage of cells expressing relatively abundant amounts of the full-length DUX4 mRNA and protein. [Snider et al. (2010)

PLoS Genetics.6(10): e1001181]

Synonyms: DUX10







Note:

This DUX4 antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry frozen sections, Immunohistochemistry paraffin embedded sections and Western Blot. In Western blot, a band can be seen at ~52 kDa.

Product images:




Western Blot: DUX4 Antibody (P4H2) TA336793 - Analysis of DUX4 expression in 1) human testis and 2) DUX4 protein lysates.



Immunohistochemistry: DUX4 Antibody (P4H2) TA336793 - Analysis of DUX4 on human testis





Immunocytochemistry/Immunofluorescence: DUX4 Antibody (P4H2) TA336793 - Detection of human DUX4 on C2C12 mouse myoblasts transfected with pCS2-DUX4. Cells were counterstained with DAPI for nuclei.